REBLERFABRICA

t 01527 503 303 - f 01527 503 325 - w www.treblerfabrications.co.uk 5805-4 5805-2 5805-1

5805-1 STOPCOCK TEE KEY

Used for turning stopcocks on and off. The turning handle has one end shaped like a chisel for lifting stopcock cover. Heavy duty construction from galvanised mild steel designed for maximum ease in use. Supplied 1.0m long.

5805-2 MANHOLE LIFTING KEYS "D" SHAPED END

Used for lifting all types of manholes. Heavy duty construction from galvanised mild steel designed for maximum ease in use. Supplied 300mm long.

5805-3 MANHOLE LIFTING KEYS "T" BAR END

Used for lifting all types of manholes. Heavy duty construction from galvanised mild steel designed for maximum ease is use. Supplied 350mm long.

5805-4 SPADE

Used to remove unwanted debris from blocked stopcock covers. Thus enabling access to valve via tee key. Heavy construction from galvanised mild steel designed for maximum ease in use. Supplied 1.3m long.

5805-5 STANDARD "T" KEY

Used for opening and closing of valves and penstocks. Heavy duty construction from galvanised mild steel designed for maximum ease in use. Supplied 1000mm long.


Teekey / Wheelkey

	Construction Materials				
ITEM	DESCRIPTION	MATERIAL			
1	Teekey	Mild Steel, 304ss or 316ss			
2	Wheel	Mild Steel, Aluminium			
3	Location Pin	Nickel Steel			
4	Adapter	Cast Iron			

<u>O</u>	pti	ions	3	

Cranked Handle for Gearbox Operated In horizotal Plain **Operation:**

SQUARE CAP / TEEKEY ARRANGEMENT



Square Cap / Teekey Arrangement Part Number Listing

Part No:	Description
1	Square Cap
2	Pin for item 1
3	Teekey/Wheel Key
4	Thrust Housing
5	Bolts, N & W for item 4
6	Thrust Collar
7	Pin for item 6
8	Thrust Washer
9	Guide Bracket
10	Guide Bracket Cup
11	Bolt, N & Washer for item 9 to 10
12	Fixing Bolts for item 9
13	Non-Rising Stem (Direct)
14	Non-Rising Stem (In-Direct)
15	Extension Spindle (No 1)
16	Extension Spindle (No 2)
17	Muff Coupling
18	Pins for item 17
19	Stem Nut

SQUARE CAP TEEKEY/WHEELKEY DETAILS

